

**Material Safety Data Sheet  
GREASEBREAKER**

**HYDRAMASTER**

11015 47TH AVE. W.  
MUKILTEO, WA. 98275  
(425) 775-7272

DATE PREPARED: ..... MAR 1, 2011  
DATE REVISED: ..... MAR 1, 2011

24 HOUR EMERGENCY PHONE NUMBER  
CHEMTREC: ..... 800-424-9300

**SECTION I – IDENTIFICATION**

PRODUCT NAME: ..... **GREASEBREAKER**  
CHEMICAL FAMILY: ..... COMBUSTIBLE LIQUID  
FORMULA: ..... N/A  
CAS NUMBER: ..... N/A

**SECTION II – HAZARDOUS IDENTIFICATION**

**EMERGENCY OVERVIEW:**

**EYES:** ..... May cause severe eye irritation with possible permanent eye damage and impairment of vision.

**SKIN (DERMAL):** ..... Skin contact may cause irritation while prolonged exposure may cause chemical burns.

**SWALLOWING (INGESTION):** May cause severe gastrointestinal irritation and/or ulceration of the mouth and throat. Single dose oral LD50 has not been determined.

**INHALATION:** ..... Vapors and mist may cause respiratory tract irritation.

**MEDICAL CONDITION AGGRAVATED**

**BY EXPOSURE:** ..... Existing skin and/or respiratory disorders may be aggravated by exposure.

**CHRONIC OVEREXPOSURE:** . None known

**OSHA REGULATORY STATUS:** Since this product is a mixture, there is no defined PEL's (Personal Exposure Limits) established by OSHA. ACGIH TLV's (Threshold Limit Values) for hazardous components are listed in the Hazardous Ingredients Section of this MSDS.

**SECTION III – COMPOSITION INFORMATION ON INGREDIENTS**

**THRESHOLD LIMIT VALUE:** . The TLV in section in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

HAZARDOUS INGREDIENT	PERCENT	CAS NO.	ACGIH/TWA	STEL/TLV
D-LIMONENE	> 80	8008-57-9	NOT EST.	NOT EST.
ODORLESS MINERAL SPIRITS	< 20	8052-41-3	NOT EST.	NOT EST.

**SECTION IV – FIRST AID DATA**

**EYES:** ..... In case of contact, immediately flush eyes with lots of running water for at least 15 minutes. Call for medical assistance.

# Material Safety Data Sheet

## GREASEBREAKER

**SKIN (DERMAL):**..... Immediately flush skin with lots of cool running water for at least 15 minutes while removing contaminated clothing and/or shoes. Wash contaminated clothing and/or shoes before reuse.

**SWALLOWING (INGESTION):** NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. If swallowed, DO NOT INDUCE VOMITING. Give large quantities of water. (If available, give several glasses of milk) If vomiting occurs spontaneously, keep airway clear and give more water. GET MEDICAL ATTENTION IMMEDIATELY.

**INHALATION:**..... If exposure by inhalation is suspected, immediately move exposed individual to fresh air. If individual experiences nausea, headache, dizziness, has difficulty in breathing or is cyanotic, seek a health care professional immediately. Never give anything by mouth to an unconscious person.

### SECTION V – FIRE FIGHTING MEASURES

**FLASHPOINT:**..... > 160° F.  
**LOWER EXPLOSIVE LIMIT:** .. N/A  
**UPPER EXPLOSIVE LIMIT:** .... N/A  
**EXTINGUISHING MEDIA:**..... Use extinguishing media appropriate to primary cause of fire.

**SPECIAL FIRE FIGHTING PROCEDURES:** ..... Avoid contact with fire fighting personnel as burns may result from contact with skin. when fighting a fire near or involving this product, wear a self-contained breathing apparatus. (SCBA)

**UNUSUAL FIRE AND EXPLOSION HAZARDS:**..... COMBUSTIBLE LIQUID. Keep away from heat, sparks and open flames. This material may produce a floating fire hazard.

### SECTION VI – ACCIDENTAL RELEASE MEASURES

**SPILL/ LEAK PROCEDURES:** .Wear proper protective clothing to prevent skin contact and inhalation. Eliminate any source of ignition. Do not smoke. Small spills may be wiped up. Large spills should be absorbed with inert material and held for disposal.

### SECTION VII – HANDLING AND STORAGE

**HANDLING INFORMATION:**.. Store away from acids, oxidizing compounds and other incompatible materials. Keep containers tightly closed when not in use. Store away from heat or flames. Do not weld, cut or grind on or near any empty containers as vapors may ignite. KEEP OUT OF REACH OF CHILDREN.

**STORAGE REQUIREMENTS:** .Keep containers tightly closed when not in use. Empty container completely and dispose of in accordance with applicable regulations. SPILLS: Contain spill. Absorb with inert material and dispose in accordance with applicable regulations. Store away from food products.

### SECTION VIII – EXPOSURE CONTROLS / PERSONAL PROTECTION

**EYE PROTECTION:**..... :Chemical safety goggles and full face shield to protect against splashing in compliance with OSHA regulations are advised. OSHA regulations also permit

# Material Safety Data Sheet

## GREASEBREAKER

other type safety glasses. (Consult your industrial hygienist) Contact lenses should not be worn when working with any chemicals.

**RESPIRATORY PROTECTION:** Respiratory protection should be worn if levels exceed defined PEL's for this product or any hazardous component listed in the Hazardous Ingredient Section of this MSDS.

### OTHER PROTECTIVE

**EQUIPMENT:** ..... Impervious protective clothing and chemical resistant safety shoes should be worn to minimize contact. Emergency shower and eyewash facility should be in close proximity. (ANSIZ358.1)

**VENTILATION:** ..... Local exhaust sufficient to maintain TLV below permissible exposure limits.

## SECTION IX – PHYSICAL AND CHEMICAL PROPERTIES

**APPEARANCE:** ..... Clear colorless liquid with citrus odor.

**BOILING POINT:** ..... Approx. 212° F.

**VAPOR PRESSURE:** ..... NOT EST.

**VAPOR DENSITY (AIR=1):** ..... NOT EST.

**SPECIFIC GRAVITY:** ..... 0.79

**pH:** ..... N/A

**SOLUBILITY IN WATER:** ..... Completely soluble in water.

## SECTION X – STABILITY AND REACTIVITY DATA

**STABILITY:** ..... Stable

### HAZARDOUS

**POLYMERIZATION:** ..... Will not occur

**INCOMPATIBILITY:** ..... Strong oxidizing agent, strong acids.

### HAZARDOUS

**DECOMPOSITION:** ..... Carbon monoxide and carbon dioxide upon thermal decomposition.

## SECTION XI – TOXICOLOGICAL INFORMATION

### TOXICOLOGICAL

**INFORMATION:** ..... **D-LIMONENE: Acute Effects:** Citrus terpenes have been shown to have low oral toxicity (LD50 >5 g/kg) and low dermal toxicity (LD50>5 g/kg) when tested on rabbits. Citrus terpenes also showed low toxicity by inhalation (RD50. 1 g/kg) when tested on mice. The skin irritancy of limonene in guinea pigs and rabbits is considered moderate and low, receptively. Inhalation may cause irritation of the nose, throat, and respiratory tract. **Chronic Effects:** This product is not classified as a carcinogen by OSHA, IARC, ACGIH or NTP. This product has not been shown to produce genetic changes when tested on bacterial or animal cells. This product does not contain known reproductive or developmental toxins. Prolonged or repeated exposure can cause drying or dermatitis of skin. Improper storage and handling may lead to the formation of a possible skin sensitizer.

## SECTION XII – ECOLOGICAL INFORMATION

### ECOLOGICAL

# Material Safety Data Sheet

## GREASEBREAKER

**INFORMATION:**..... **D-LIMONENE:** Ecotoxicity: There is no information available at this time for this product. However, a spill may produce significant toxicity to aquatic organisms and ecosystems. Some studies have shown that certain bacteria and fungi have the ability to degrade terpenes, decreasing their toxicity to fish. When spilled, this product may act as an oil, causing a film, sheen, emulsion or sludge at or beneath the surface of a body of water. Persistence/Degradability: Product is expected to be readily biodegradable. Bioaccumulation/Accumulation: No appreciable bioaccumulation is expected in the environment. Mobility in Environment: Citrus terpenes volatilize rapidly. **Mineral Spirits:** Ecotoxicity: This mixture contains components that are potentially toxic to freshwater and saltwater ecosystems. Environmental Fate: This product will normally float on water. Components will evaporate rapidly. This material may be harmful to aquatic organisms and may cause long term adverse effects in the aquatic environment.

### SECTION XIII – DISPOSAL CONSIDERATIONS

**WASTE DISPOSAL:** ..... Consult all LOCAL, STATE, and FEDERAL regulations with regard to proper and suitable disposal methods.

### SECTION XIV – TRANSPORTATION INFORMATION

**PROPER SHIPPING NAME:**..... TERPENE HYDROCARBONS N.O.S. 3 UN-2319 PG - III (air or international ship)

**HAZARD CLASS AND LABEL:** COMBUSTIBLE (DOMESTIC GROUND non hazardous)  
3 FLAMMABLE (DOMESTIC AIR or SHIP INTERNATIONAL)

**UN NUMBER:** ..... UN-2319 (air or international ship)

**PACKAGING GROUP:** ..... PG - III (air or international ship)

### SECTION XV – REGULATORY INFORMATION

**LISTED CARCINOGEN:** ..... None known

**TSCA STATUS:**..... All components in this product are listed on the TSCA inventory.

**SARA SECTION 313:** This product does not contain any EPCRA section 313 chemicals subject to the reporting requirements of section 313 of the Emergency Planning Community Right-To-Know Act of 1986 (40CFR 372):

**NFPA HEALTH:**..... 2

**NFPA FLAMMABILITY:**..... 2

**NFPA REACTIVITY:**..... 0

**WHMIS (Canada) D-limonene:** CLASS B-3: Combustible liquid with a flash point between 37.8°C (100°F) and 93.3°C (200°F).

**Odorless Mineral Spirits:** Canadian Regulations: This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

**Material Safety Data Sheet**  
**GREASEBREAKER**

**SECTION XVI – OTHER INFORMATION**

**REFERENCES:**..... The information contained herein has been compiled from sources believed to be reliable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Hydramaster Inc. assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. Each user assumes the risk in their use of this product and should review the data and recommendations in the specific context of their intended use.

**FOOT NOTES:**..... NOT EST. = Not Established, N/A = Not Applicable, (Ceil) = TLV ceiling limit.